

Nestlé Healthcare
 Nutrition, Inc.
 1200 Nestle Avenue
 Eau Claire, WI 54703
 Tele. (715) 839-9440
 www.nestleusa.com



CERTIFICATE OF ANALYSIS
PEPTAMEN 1.5

Manufacture Date: July 21, 2020

Expiration Date: October 20, 2021

Batch Code: 0EPU4845

Case Code: 02035721A1

Evaluation	Units	Method	Analytical Result	Release Specifications		Label /100mL
				min	max	
Fat	g	Mojonnier	6	4.5	6.4	5.6
Protein	g	Kjeldahl	7	5.4	7.5	6.8
Total Solids	g/100g	Air Oven	29.0	28	31	-
Total Ash	g/100g	Furnace	1.00	-	-	-
Carbohydrate	g/100g	Calculation	16.80	-	-	-
Calories	kcal	Calculation	152	135	180	150
Density	g/mL	Target 1.068 g/mL	1.09	-	-	-
Calcium	mg	ICP - AES	114	80	140	100
Potassium	mg	ICP - AES	227	172	280	215
Sodium	mg	ICP - AES	90	72	108	90
Magnesium	mg	ICP - AES	45	34	50	42
Phosphorus	mg	ICP - AES	99	80	125	100
Chloride	mg	Potentiometric	189	144	270	180
Iron	mg	ICP - AES	3	2.08	3.40	2.6
Vitamin A (Retinol)	mcg	HPLC	157	130	222	130
Vitamin C	mg	HPLC	61	26	66	20
Organoleptic, Appearance, Flavor, Aroma	-	Visual / Sensory	Approved	Not significantly different than reference		-
Microbiological	-	Incubation 30 C, 42 C & 55 C- (Plate count streak / pH)	Conform	Meets Nestec Sterility Assessment Release Norm		-

~~ The label claim for Vitamin A in this product is a combination of Vitamin A Retinol and Beta Carotene, referred to as Total Vitamin A. Vitamin A Retinol is tested on every batch of finished product; whereas, Beta Carotene is periodically tested. Therefore, release norms have been established for Total Vitamin A, as well as for Vitamin A Retinol and Beta Carotene separately. During routine testing of finished product, the Vitamin A Retinol result is compared to the Vitamin A Retinol release norm. During periodic testing, the Vitamin A Retinol result is compared to the Vitamin A Retinol release norm, the Beta Carotene result is compared to the Beta Carotene release norm, and the Retinol and Beta Carotene results are combined and compared to the Total Vitamin A release norm.

Authorization: *Anita Helland 09-15-20*
 EC/GW Laboratory Manager Anita Helland Date

Nestlé Healthcare
Nutrition, Inc.
1200 Nestle Avenue
Eau Claire, WI 54703
Tele. (715) 839-9440
www.nestleusa.com



CERTIFICATE OF ANALYSIS
PEPTAMEN 1.5

Manufacture Date: July 21, 2020

Expiration Date: October 20, 2021

Batch Code: **0EPU4845**

Case Code: **02035721A1**

Evaluation	Units	Maximum Limit /100g	Analytical Results /100g
Absence of Insect Fragment	100g *	Absent	Conform
Absence of rodent pile	100g *	Absent	Conform
5 mite	100g *	5	Conform
Insoluble Sand / Ash in HCl	%	1.5	<0.9842 **

* 500g of product is tested to conform absence of foreign material

** Based on measure of Total Ash

Authorization: Anita Helland 09-15-20
EC/GW Laboratory Manager Anita Helland Date