

Nestlé Healthcare
 Nutrition, Inc.
 1200 Nestle Avenue
 Eau Claire, WI 54703
 Tele. (715) 839-9440
 www.nestleusa.com



CERTIFICATE OF ANALYSIS PEPTAMEN INTENSE

Manufacture Date: March 3, 2020

Expiration Date: March 3, 2021

Batch Code: 0ELU3566

Case Code: 00 63572151

Evaluation	Units	Method	Analytical Result	Release Specifications		Label /1000mL
				min	max	
Fat	g	Mojonnier	37	30	46	38
Protein	g	Kjeldahl	97	74	110	92
Total Solids	g/100g	Air Oven	20.40	19.5	21.5	-
Ash	g/100g	Furnace	0.70	-	-	-
Carbohydrate	g	Calculation	75	62	92	77
Calories	kcal	Calculation	1020	800	1200	1000
Density	g/mL	Target 1.056 g/mL	1.06	-	-	-
Calcium	mg	ICP - AES	844	560	910	700
Potassium	mg	ICP - AES	1587	1200	2100	1500
Sodium	mg	ICP - AES	707	560	840	700
Magnesium	mg	ICP - AES	296	224	373	280
Phosphorus	mg	ICP - AES	661	544	816	680
Chloride	mg	Potentiometric	1312	896	1400	1120
Iron	mg	ICP - AES	19	13	22	16
Vitamin A (Retinol)	mcg	HPLC	1068	850	1496	850
Vitamin C	mg	HPLC	361	195	495	150
Organoleptic, Appearance, Flavor, Aroma	-	Visual / Sensory	Approved	Not significantly different than reference		-
Microbiological	-	Incubation 30 C, 42 C & 55 C- (Plate count streak / pH)	Conform	Meets Nestec Sterility Assessment Release Norm		-

~~ The label claim for Vitamin A in this product is a combination of Vitamin A Retinol and Beta Carotene, referred to as Total Vitamin A. Vitamin A Retinol is tested on every batch of finished product; whereas, Beta Carotene is periodically tested. Therefore, release norms have been established for Total Vitamin A, as well as for Vitamin A Retinol and Beta Carotene separately. During routine testing of finished product, the Vitamin A Retinol result is compared to the Vitamin A Retinol release norm. During periodic testing, the Vitamin A Retinol result is compared to the Vitamin A Retinol release norm, the Beta Carotene result is compared to the Beta Carotene release norm, and the Retinol and Beta Carotene results are combined and compared to the Total Vitamin A release norm.

Authorization: Anita Helland 04-09-20
 EC/GW Laboratory Manager Anita Helland Date

Nestlé Healthcare
Nutrition, Inc.
1200 Nestle Avenue
Eau Claire, WI 54703
Tele. (715) 839-9440
www.nestleusa.com



CERTIFICATE OF ANALYSIS
PEPTAMEN INTENSE

Manufacture Date: March 3, 2020

Expiration Date: March 3, 2021

Batch Code: 0ELU3566

Case Code: 00 63572151

Evaluation	Units	Maximum Limit /100g	Analytical Results /100g
Absence of Insect Fragment	100g *	Absent	Conform
Absence of rodent pile	100g *	Absent	Conform
5 mite	100g *	5	Conform
Insoluble Sand / Ash in HCl	%	1.5	<0.6976**

* 500g of product is tested to conform absence of foreign material

** Based on measure of Total Ash

Authorization: Anita Helland 04-09-20
EC/GW Laboratory Manager Anita Helland Date

Nestlé Healthcare Nutrition,
 Inc.
 1200 Nestle Avenue
 P.O. Box 168
 Eau Claire, WI 54702
 Tele. 715-839-9440
 Nestleusa.com

Sample Analysis Report



PEPTAMEN INTENSE

Manufacture Date: March 3, 2020 Expiration Date: March 3, 2021

Batch Code: 0ELU3566

Case Code: 00 63572151

Analysis:	Results	Units
Coliform		
Coliform @ 35C	<0.3	/ml
Coliform @45C	Absence	/ml
Bacillus Cereus	<1	/ml
Staphylococcus auerus	Absence	cfu/ml
Salmonella	Absence	/25g

Peptamen Bariatric Recipe Symbol ACEL702-1

For the purpose of contaminant monitoring, products are grouped into families by recipes which have similar ingredients, ingredient usage rates and nutrient profiles. Each product family is tested for contaminants once over three calendar years.

Results declared in the Certificate of Analysis were obtained in the last produced batch that went through monitoring protocol.

Evaluation	Units	Maximum Limit /kg	Analytical Results /kg
Alfatoxin M1	mg	0.0005	<0.0005
Arsenic	mg	0.04	<0.002
Cadmium	mg	0.013	<0.002
Lead	mg	0.03	<0.002
Alfatoxin B&G	mg	0.00043	<0.00029
Ocratozine A	mg	0.00086	<0.0005
Deoxynivalenol	mg	0.086	<0.05
Fumonisin	mg	0.086	<0.05
Zearalenone	mg	0.013	<0.004

Authorization: Anita Helland 04-09-20
 EC/GW Laboratory Manager Anita Helland Date