

Buchanan,Lori,US-Eau Claire

From: Short,Marcelleus,US-Solon
Sent: Monday, September 20, 2021 10:05 AM
To: Buchanan,Lori,US-Eau Claire
Cc: White,Briana,US-Solon
Subject: CoA Request for BR 4567109350

Hello,

Please provide CoAs for the following:

Globe Number	Material Description	Batch Code
12305803	IMPACT Peptide1.5 SpkeRht+ULRP6x1000mIBR	1236572151

Regards,

Marcelleus Short
Customer Solution Associate
Business Solutions Center

Nestlé USA
30500 Bainbridge Road, Solon, OH 44139
Direct: (440) 264-7660



Nestlé Good food, Good life

Nestlé Healthcare
 Nutrition, Inc.
 1200 Nestle Avenue
 Eau Claire, WI 54703
 Tele. (715) 839-9440
 www.nestleusa.com



CERTIFICATE OF ANALYSIS

Impact Peptide 1.5 Unflavored

Manufacture Date: August 24, 2021

Expiration Date: August 24, 2022

Batch Code: 1MCU5240

Case Code: 1236572151

Evaluation	Units	Method	Analytical Result	Release Specifications		Label /100mL
				min	max	
Total Solids	g/100g	Air Oven	27.9	27.8	29.6	-
Protein	g	Kjeldahl	9.6	7.5	11.3	9.4
Fat	g	Mojonnier	6.5	5.1	7.7	6.4
Ash	g/100g	Furnace	0.92	-	-	-
Carbohydrate	g	Calculation	13	11	17	14
Calories	kcal	Calculation	148	120	180	150
Density	g/mL	Target 1.078 g/mL	1.076	-	-	-
Chloride	mg	Potentiometric	189	144	216	180
Calcium	mg	ICP - AES	105	80	120	100
Iron	mg	ICP - AES	2.3	1.6	3.0	2
Potassium	mg	ICP - AES	181	152	228	190
Magnesium	mg	ICP - AES	44	34	50	42
Sodium	mg	ICP - AES	125	96	144	120
Phosphorus	mg	ICP - AES	104	80	120	100
Vitamin C	mg	HPLC	144	120	300	100
Vitamin A (Retinol)	mcgRE	HPLC	247	198	308	220
Organoleptic, Appearance, Flavor, Aroma	-	Visual / Sensory	Approved	Not significantly different than reference		-
Microbiological	-	Incubation 30 C, 42 C & 55 C- (Plate count streak / pH)	Conform	Meets Nestec Sterility Assessment Release Norm		-

~~ The label claim for Vitamin A in this product is a combination of Vitamin A Retinol and Beta Carotene, referred to as Total Vitamin A. Vitamin A Retinol is tested on every batch of finished product; whereas, Beta Carotene is periodically tested. Therefore, release norms have been established for Total Vitamin A, as well as for Vitamin A Retinol and Beta Carotene separately. During routine testing of finished product, the Vitamin A Retinol result is compared to the Vitamin A Retinol release norm. During periodic testing, the Vitamin A Retinol result is compared to the Vitamin A Retinol release norm, the Beta Carotene result is compared to the Beta Carotene release norm, and the Retinol and Beta Carotene results are combined and compared to the Total Vitamin A release norm.

Authorization: Anita Helland 10-08-21
 EC/GW Laboratory Manager Anita Helland Date

Nestlé Healthcare
Nutrition, Inc.
1200 Nestle Avenue
Eau Claire, WI 54703
Tele. (715) 839-9440
www.nestleusa.com



CERTIFICATE OF ANALYSIS

Impact Peptide 1.5 Unflavored

Manufacture Date: August 24, 2021

Expiration Date: August 24, 2022

Batch Code: 1MCU5240

Case Code: 1236572151

Evaluation	Units	Maximum Limit /100g	Analytical Results /100g
Absence of Insect Fragment	100g *	Absent	Conform
Absence of rodent pile	100g *	Absent	Conform
5 mite	100g *	5	Conform
Insoluble Sand / Ash in HCl	%	1.5	<0.92**

* 500g of product is tested to conform absence of foreign material

** Based on measure of Total Ash

Authorization: Anita Helland 1008-21
EC/GW Laboratory Manager Anita Helland Date

Nestlé Healthcare Nutrition,
 Inc.
 1200 Nestle Avenue
 Eau Claire, WI 54702
 Tele. 715-839-9440
 Nestleusa.com



Sample Analysis Report

Impact Peptide 1.5 Unflavored

Manufacture Date: August 24, 2021 Expiration Date: August 24, 2022

Batch Code: 1MCU5240

Case Code: 1236572151

Analysis:	Results	Units
Coliform		
Coliform @ 35C	<0.3	/ml
Coliform @45C	Absence	/ml
Bacillus Cereus	<1	/ml
Staphylococcus auerus	Absence	cfu/ml
Salmonella	Absence	/25g

PEPTAMEN 1.5 SpkeRht + ULRP Recipe Symbol ACEL029-02

For the purpose of contaminant monitoring, products are grouped into families by recipes which have similar ingredients, ingredient usage rates and nutrient profiles. Each product family is tested for contaminants once over three calendar years.

Results declared in the Certificate of Anaylsis were obtained in the last produced batch that went through monitoring protocol.

Evaluation	Units	Maximum Limit /kg	Analytical Results /kg
Alfatoxin M1	mg	0.0005	<0.0005
Arsenic	mg	0.06	0.002
Cadmium	mg	0.02	<0.002
Lead	mg	0.04	<0.002
Alfatoxin B&G	mg	0.0008	<0.0005
Ocratozine A	mg	0.0011	<0.0005
Deoxynivalenol	mg	0.107	<0.05
Fumonisin	mg	0.107	<0.05
Zearalenone	mg	0.016	<0.004

Authorization: Anita Helland 10-08-21
 EC/GW Laboratory Manager Anita Helland Date