

Nestlé Healthcare  
 Nutrition, Inc.  
 1200 Nestlé Avenue  
 Eau Claire, WI 54703  
 Tele. (715) 839-9440  
 www.nestleusa.com



## CERTIFICATE OF ANALYSIS

### PEPTAMEN 1.5

Manufacture Date: \_\_\_\_\_

October 26, 2021

Expiration Date: \_\_\_\_\_

October 26, 2022

Batch Code: 1EPU6153

Case Code: 1299572151

Evaluation	Units	Method	Analytical Result	Release Specifications		Label /1000ml
				min	max	
Total Solids	g/100g	Air Oven	29	28	31	-
Protein	g	Kjeldahl	71	54	75	68
Fat	g	Mojonnier	55	45	64	56
Ash	g/100g	Furnace	0.96	-	-	-
Carbohydrate	g/100g	Calculation	16.40	-	-	-
Calories	kcal	Calculation	1504	1350	1800	1500
Density	g/ml	Target 1.056 g/ml	1.09	-	-	-
Chloride	mg	Potentiometric	1908	1440	2700	1800
Calcium	mg	ICP - AES	1112	800	1400	1000
Iron	mg	ICP - AES	29	21	34	26
Potassium	mg	ICP - AES	2147	1720	2795	2150
Magnesium	mg	ICP - AES	425	336	504	420
Sodium	mg	ICP - AES	894	720	1080	900
Phosphorus	mg	ICP - AES	938	800	1250	1000
Vitamin C	mg	HPLC	524	260	660	200
Vitamin A (Retinol)	mcg	HPLC	1610	1300	2216	1300
Organoleptic, Appearance, Flavor, Aroma	-	Visual / Sensory	Approved	Not significantly different than reference		-
Microbiological	-	Incubation 30 C, 42 C & 55 C - (Plate count streak / pH)	Conform	Meets Nestec Sterility Assessment Release Norm		-

~ The label claim for Vitamin A in this product is a combination of Vitamin A Retinol and Beta Carotene, referred to as Total Vitamin A. Vitamin A Retinol is tested on every batch of finished product; whereas, Beta Carotene is periodically tested. Therefore, release norms have been established for Total Vitamin A, as well as for Vitamin A Retinol and Beta Carotene separately. During routine testing of finished product, the Vitamin A Retinol result is compared to the Vitamin A Retinol release norm. During periodic testing, the Vitamin A Retinol result is compared to the Vitamin A Retinol release norm, the Beta Carotene result is compared to the Beta Carotene release norm, and the Retinol and Beta Carotene results are combined and compared to the Total Vitamin A release norm.

Authorization:  02-10-22  
 EC Quality Manager Aude Bourguignon Date



Nestlé Healthcare  
Nutrition, Inc.  
1200 Nestle Avenue  
Eau Claire, WI 54703  
Tele: (715) 839-9440  
www.nestleusa.com

### CERTIFICATE OF ANALYSIS

PEPTAMEN 1.5

Manufacture Date: October 26, 2021

Expiration Date: October 26, 2022

Batch Code: 1EPU6153

Case Code: 1299572151

Evaluation	Units	Maximum Limit /100g	Analytical Results /100g
Absence of Insect Fragment	100g *	Absent	Conform
Absence of rodent pile	100g *	Absent	Conform
5 mite	100g *	5	Conform
Insoluble Sand / Ash in HCl	%	1.5	<0.096**

\* 500g of product is tested to conform absence of foreign material

\*\* Based on measure of Total Ash

Authorization:  02-10-22  
EC Quality Manager / Aude Bourguignon Date

Nestlé Healthcare Nutrition,  
Inc.

1200 Nestle Avenue  
Eau Claire, WI 54702  
Tel: 715-839-9440  
Nestleusa.com



### Sample Analysis Report

PEPTAMEN 1.5

Manufacture Date: October 26, 2021

Expiration Date: October 26, 2022

Batch Code: 1EPU6153

Case Code: 1299572151


Analysis:	Results	Units
<b>Coliform</b>		
Coliform @ 35C	<0.3	/ml
Coliform @45C	Absence	/ml
<b>Bacillus Cereus</b>	<1	/ml
<b>Staphylococcus auerus</b>	Absence	cfu/ml
<b>Salmonella</b>	Absence	/25g

**PEPTAMEN 1.5 SpkRht + ULRP Recipe Symbol ACEL029-02**

For the purpose of contaminant monitoring, products are grouped into families by recipes which have similar ingredients, ingredient usage rates and nutrient profiles. Each product family is tested for contaminants once over three calendar years.

Results declared in the Certificate of Analysis were obtained in the last produced batch that went through monitoring protocol.

Evaluation	Units	Maximum Limit /kg	Analytical Results /kg
Alfatoxin M1	mg	0.0005	<0.0005
Arsenic	mg	0.06	<0.002
Cadmium	mg	0.02	<0.002
Lead	mg	0.04	<0.002
Alfatoxin B&G	mg	0.0008	<0.0005
Ocratozine A	mg	0.0011	<0.001
Deoxyrnivalenol	mg	0.107	<0.05
Fumonisina	mg	0.107	<0.05
Zearalenona	mg	0.016	<0.004

Authorization:  02-10-22  
EC Quality Manager Aude Bourguignon Date