

Nestlé Healthcare
 Nutrition, Inc.
 1200 Nestle Avenue
 Eau Claire, WI 54703
 Tele. (715) 839-9440
 www.nestleusa.com



CERTIFICATE OF ANALYSIS

PEPTAMEN 1.5

Manufacture Date: February 12, 2023

Expiration Date: May 12, 2024

Case Code: 30425721C2

Evaluation	Units	Method	Analytical Result	Release Specifications		Label /100mL
				min	max	
Total Solids	g/100g	Air Oven	29	28	31	-
Protein	g	Kjeldahl	6.8	5.4	7.5	6.8
Fat	g	Mojonnier	5.7	4.5	6.4	5.6
Total Ash	g/100g	Furnace	0.88	-	-	-
Carbohydrate	g/100g	Calculation	16.80	-	-	-
Calories	kcal	Calculation	152	135	180	150
Density	g/mL	Target 1.068 g/mL	1.09	-	-	-
Chloride	mg	Potentiometric	189	144	270	180
Calcium	mg	ICP - AES	108	80	140	100
Iron	mg	ICP - AES	2.98	2.08	3.40	2.6
Potassium	mg	ICP - AES	263	172	280	215
Magnesium	mg	ICP - AES	45	34	50	42
Sodium	mg	ICP - AES	87	72	108	90
Phosphorus	mg	ICP - AES	100	80	125	100
Vitamin C	mg	HPLC	58	26	66	20
Vitamin A (Retinol)	mcg	HPLC	174	130	222	130
Organoleptic, Appearance, Flavor, Aroma	-	Visual / Sensory	Approved	Not significantly different than reference		-
Microbiological	-	Incubation 30 C, 42 C & 55 C- (Plate count streak / pH)	Conform	Meets Nestec Sterility Assessment Release Norm		-

~~ The label claim for Vitamin A in this product is a combination of Vitamin A Retinol and Beta Carotene, referred to as Total Vitamin A. Vitamin A Retinol is tested on every batch of finished product; whereas, Beta Carotene is periodically tested. Therefore, release norms have been established for Total Vitamin A, as well as for Vitamin A Retinol and Beta Carotene separately. During routine testing of finished product, the Vitamin A Retinol result is compared to the Vitamin A Retinol release norm. During periodic testing, the Vitamin A Retinol result is compared to the Vitamin A Retinol release norm, the Beta Carotene result is compared to the Beta Carotene release norm, and the Retinol and Beta Carotene results are combined and compared to the Total Vitamin A release norm.

Authorization:  03-30-23
 EC Quality Manager Aude Bourguignon Date

Nestlé Healthcare
Nutrition, Inc.
1200 Nestle Avenue
Eau Claire, WI 54703
Tele. (715) 839-9440
www.nestleusa.com



CERTIFICATE OF ANALYSIS

PEPTAMEN 1.5

Manufacture Date: February 12, 2023


Expiration Date: May 12, 2024

Case Code: 30425721C2

Evaluation	Units	Maximum Limit /100g	Analytical Results /100g
Absence of Insect Fragment	100g *	Absent	Conform
Absence of rodent pile	100g *	Absent	Conform
5 mite	100g *	5	Conform
Insoluble Sand / Ash in HCl	%	1.5	<0.95 **

* 500g of product is tested to conform absence of foreign material

** Based on measure of Total Ash

Authorization:  03-30-23
EC Quality Manager Aude Bourguignon Date

Nestlé Healthcare Nutrition,
 Inc.
 1200 Nestle Avenue
 Eau Claire, WI 54702
 Tele. 715-839-9440
 Nestleusa.com



Sample Analysis Report

PEPTAMEN 1.5

Manufacture Date: February 12, 2023 Expiration Date: May 12, 2024
 Case Code: 30425721C2

Analysis:	Results	Units
Coliform		
Coliform @ 35C	<0.3	/ml
Coliform @45C	Absence	/ml
Bacillus Cereus	<1	/ml
Staphylococcus auerus	Absence	cfu/ml
Salmonella	Absence	/25g

PEPTAMEN 1.5 Recipe Symbol ACEL029-02

For the purpose of contaminant monitoring, products are grouped into families by recipes which have similar ingredients, ingredient usage rates and nutrient profiles. Each product family is tested for contaminants once over three calendar years.

Results declared in the Certificate of Anaylsis were obtained in the last produced batch that went through monitoring protocol.

Evaluation	Units	Maximum Limit /kg	Analytical Results /kg
Alfatoxin M1	mg	0.0005	<0.0005
Arsenic	mg	0.04	<0.002
Cadmium	mg	0.02	<0.002
Lead	mg	0.02	<0.002
Alfatoxin B&G	mg	0.0008	<0.0005
Ocratozine A	mg	0.0011	<0.001
Deoxynivalenol	mg	0.107	<0.05
Fumonisin	mg	0.107	<0.05
Zearalenona	mg	0.016	<0.004

Authorization:  03-30-23
 EC Quality Manager Aude Bourguignon Date