

Creully. 11.08.2025

CERTIFICATE OF ANALYSIS

Product description: NUTREN ULTRA Vanilla

Batch: 51870810A1

Manufacturing date: 06.07.2025

Expiry date: 06.07.2026

Characteristics	Unit	Result	Lower Limit	Upper Limit
pH		6.7	6.50	7.30
DRY MATTER / TOTAL SOLIDS	g/100ml	42.8	41.4	45.8
CHLORIDE	mg/100mL	133.6	92.0	188.5
CALCIUM	mg/100mL	198.2	136.5	304.5
COPPER	mg/100mL	0.315	0.216	0.495
IRON	mg/100mL	1.87	1.20	2.61
POTASSIUM	mg/100mL	225.97	179.84	333.50
MAGNESIUM	mg/100mL	28.6	22.4	43.5
MANGANESE	mg/100mL	0.186	0.147	0.314
SODIUM	mg/100mL	145.814	67.721	204.000
PHOSPHORUS	mg/100mL	186.2	122.5	227.5
ZINC	mg/100mL	1.969	1.280	2.755
VITAMIN B2 (RIBOFLAVIN)	mg/100mL	0.586	0.325	0.825
VITAMIN C (ASCORBIC ACID)	mg/100mL	38.22	16.00	46.00
SENSORY EVALUATION (QL)		CONFORM		
BIOLUMINESCENCE INC 7D 55°C		CONFORM		
pH INC 7D 55°C		CONFORM		
BIOLUMINESCENCE INC 7D 30°C		CONFORM		
pH INC 7D 30°C		CONFORM		
TASTE (QL)		CONFORM		

Marie Cauchois
Quality Manager
Creully factory

