

Nestlé Healthcare
 Nutrition, Inc.
 1200 Nestle Avenue
 Eau Claire, WI 54703
 Tele. (715) 839-9440
 www.nestleusa.com



CERTIFICATE OF ANALYSIS
PEPTAMEN INTENSE VHP

Manufacture Date: December 16, 2025

Expiration Date: March 17, 2027

Batch Code: 5EHU6892

Case Code: 5350572151

Evaluation	Units	Method	Analytical Result	Release Specifications		Label /1000mL
				min	max	
Total Solids	g/100g	Air Oven	21.0	19.6	22	-
Protein	g	Combustion	9.4	7.4	11.0	9.2
Fat	g	Mojonnier	3.91	1.67	4.56	3.8
Total Ash	g/100g	Furnace	0.77	-	-	-
Carbohydrate	g/100g	Calculation	8	-	-	-
Calories	kcal	Calculation	105	80.00	120.00	100
Density	g/mL	Target 1.068 g/mL	1.0590	-	-	-
Chloride	mg	Potentiometric	116	90	179	112
Calcium	mg	ICP - OES	80	56	125	70
Iron	mg	ICP - OES	2.0	1.3	2.3	1.6
Potassium	mg	ICP - OES	173	120	313	150
Magnesium	mg	ICP - OES	32	22	34	28
Sodium	mg	ICP - OES	75	29	84	70
Phosphorus	mg	ICP - OES	71	45	160	56
Vitamin C	mg	Reflectoquant	35	12	67	15
Vitamin A (Retinol)	IU	HPLC	121	68	150	85
Organoleptic, Appearance, Flavor, Aroma	-	Visual / Sensory	Approved	Not significantly different than reference		-
Microbiological	-	Incubation 30 C, 42 C & 55 C- (Plate count streak / pH) Total Samples ≥ 1000	Conform	Meets Nestec Sterility Assessment Release Norm		-

~~ The label claim for Vitamin A in this product is a combination of Vitamin A Retinol and Beta Carotene, referred to as Total Vitamin A. Vitamin A Retinol is tested on every batch of finished product; whereas, Beta Carotene is periodically tested. Therefore, release norms have been established for Total Vitamin A, as well as for Vitamin A Retinol and Beta Carotene separately. During routine testing of finished product, the Vitamin A Retinol result is compared to the Vitamin A Retinol release norm. During periodic testing, the Vitamin A Retinol result is compared to the Vitamin A Retinol release norm, the Beta Carotene result is compared to the Beta Carotene release norm, and the Retinol and Beta Carotene results are combined and compared to the Total Vitamin A release norm.

Authorization:  01-14-26
 EC Quality Manager Jennifer Dressel Date

Nestlé Healthcare
 Nutrition, Inc.
 1200 Nestle Avenue
 Eau Claire, WI 54703
 Tele. (715) 839-9440
 www.nestleusa.com



CERTIFICATE OF ANALYSIS
PEPTAMEN INTENSE VHP

Manufacture Date: December 16, 2025

Expiration Date: March 17, 2027

Batch Code: 5EHU6892

Case Code: 5350572151

Evaluation	Units	Maximum Limit /100g	Analytical Results /100g
Absence of Insect Fragment	100g *	Absent	Conform
Absence of rodent pile	100g *	Absent	Conform
5 mite	100g *	5	Conform
Insoluble Sand / Ash in HCl	%	1.5	<0.7465 **

* 500g of product is tested to conform absence of foreign material

** Based on measure of Total Ash

PEPTAMEN PBIO SpkeRht + ULRP Recipe Symbol ACEL706

For the purpose of contaminant monitoring, products are grouped into families by recipes which have similar ingredients, ingredient usage rates and nutrient profiles. Each product family is tested for contaminants once over three calendar years.

Results declared in the Certificate of Analysis were obtained in the last produced batch that went through monitoring protocol.

Evaluation	Units	Maximum Limit /kg	Analytical Results /kg
Alfatoxin M1	mg	0.0005	<0.0005
Arsenic	mg	0.040	0.001
Cadmium	mg	0.035	<0.001
Lead	mg	0.010	<0.001
Alfatoxin B&G	mg	0.00043	<0.00005
Ocratozine A	mg	0.00086	<0.00010
Deoxynivalenol	mg	0.086	<0.05
Fumonisin	mg	0.086	<0.05
Zearalenone	mg	0.013	<0.006

Authorization:  01-16-26
 EC Quality Manager Jennifer Dressel Date