

Nestlé Healthcare
 Nutrition, Inc.
 1200 Nestle Avenue
 Eau Claire, WI 54703
 Tele. (715) 839-9440
 www.nestleusa.com

CERTIFICATE OF ANALYSIS
Peptamen 1.5



Manufacture Date: January 21, 2026

Expiration Date: January 21, 2027

Batch Code: 6EPU3340

Case Code: 6021572152

Evaluation	Units	Method	Analytical Result	Release Specifications		Label /1000mL
				min	max	
Total Solids	g/100g	Air Oven	29	28	31	-
Protein	g	Combustion	70	54	75	68
Fat	g	Mojonnier	56	45	64	56
Ash	g/100g	Furnace	1.05	-	-	-
Carbohydrate	g	Calculation	16.50	-	-	-
Calories	kcal	Calculation	1504	1350	1800	1500
Density	g/mL	Target 1.061g/mL	1.09	-	-	-
Chloride	mg	Potentiometric	1940	1440	2700	1800
Calcium	mg	ICP - OES	1059	800	1500	1000
Iron	mg	ICP - OES	29	21	34	26
Potassium	mg	ICP - OES	2431	1720	2903	2150
Magnesium	mg	ICP - OES	434	336	504	420
Sodium	mg	ICP - OES	897	720	1080	900
Phosphorus	mg	ICP - OES	988	799.5	1250	1000
Vitamin C	mg	HPLC	566	260	840	200
Vitamin A (Retinol)	mcg	HPLC	1940	1300	2216	1300
Organoleptic, Appearance, Flavor, Aroma	-	Visual / Sensory	Approved	Not significantly different than reference		-
Microbiological	-	Incubation 30 C, 42 C & 55 C- (Plate count streak / pH)	Conform	Meets Nestec Sterility Assessment Release Norm		-

~~ The label claim for Vitamin A in this product is a combination of Vitamin A Retinol and Beta Carotene, referred to as Total Vitamin A. Vitamin A Retinol is tested on every batch of finished product; whereas, Beta Carotene is periodically tested. Therefore, release norms have been established for Total Vitamin A, as well as for Vitamin A Retinol and Beta Carotene separately. During routine testing of finished product, the Vitamin A Retinol result is compared to the Vitamin A Retinol release norm. During periodic testing, the Vitamin A Retinol result is compared to the Vitamin A Retinol release norm, the Beta Carotene result is compared to the Beta Carotene release norm, and the Retinol and Beta Carotene results are combined and compared to the Total Vitamin A release norm.

Authorization: Sarah J Smith 02-26-26
 EC Facility Quality Manager Sarah Smith Date

Nestlé Healthcare
 Nutrition, Inc.
 1200 Nestle Avenue
 Eau Claire, WI 54703
 Tele. (715) 839-9440
 www.nestleusa.com



CERTIFICATE OF ANALYSIS

Peptamen 1.5

Manufacture Date: January 21, 2026

Expiration Date: January 21, 2027

Batch Code: 6EPU3340

Case Code: 6021572152

Evaluation	Units	Maximum Limit /100g	Analytical Results /100g
Absence of Insect Fragment	100g *	Absent	Conform
Absence of rodent pile	100g *	Absent	Conform
5 mite	100g *	5	Conform
Insoluble Sand / Ash in HCl	%	1.5	<0.9968**

* 500g of product is tested to conform absence of foreign material

** Based on measure of Total Ash

PEPTAMEN 1.5 SpkeRht + ULRP Recipe Symbol ACEL029-02

For the purpose of contaminant monitoring, products are grouped into families by recipes which have similar ingredients, ingredient usage rates and nutrient profiles. Each product family is tested for contaminants once over three calendar years.

Results declared in the Certificate of Analysis were obtained in the last produced batch that went through monitoring protocol.

Evaluation	Units	Maximum Limit /kg	Analytical Results /kg
Alfatoxin M1	mg	0.0005	<0.0005
Arsenic	mg	0.06	0.003
Cadmium	mg	0.02	<0.001
Lead	mg	0.04	<0.001
Alfatoxin B&G	mg	0.0008	<0.0005
Ocratozine A	mg	0.0011	<0.001
Deoxynivalenol	mg	0.107	<0.05
Fumonisin	mg	0.107	<0.05
Zearalenone	mg	0.016	<0.004

Authorization: Sarah Smith 02-26-26
 EC Facility Quality Manager Sarah Smith Date